



| | Atla | Ber | Burl | Cam | Cape | Cum | Ess | Glos | Hud | Hunt | Mer | Midl | Mon | Mor | Oce | Pas | Sal | Somr | Sus | Uni | War |
|--|------|-----|-------|-----|------|-----|-----|------|-----|------|-----|------|------|-----|-----|-----|-----|------|-----|-----|-----|
| | tic | gen | ngtor | den | May | ber | ex | ter | son | rdon | cer | sex | moth | ris | an | aic | em | set | sex | on | ren |
| BROAD-WINGED DAMSELS,CALOPTERYGIDAE | | | | | | | | | | | | | | | | | | | | | |
| River Jewelwing, <i>Calopteryx aequabilis</i> | | | | | | | | | | AB | | | | X | | X | | + | X | | X |
| Superb Jewelwing, <i>Calopteryx amata</i> | | | | | | | | | | | | | | | | | | | | X | |
| Sparkling Jewelwing, <i>Calopteryx dimidiata</i> | + | | + | AB | + | + | | X | | | + | + | | | X | | X | | | | |
| Ebony Jewelwing, <i>Calopteryx maculata</i> | X | X | X | X | + | X | +? | X | | + | + | X | X | X | X | X | + | X | X | AB | X |
| American Rubyspot, <i>Hetaerina americana</i> | + | | | + | + | + | | + | | X | + | + | | X | + | + | + | | AB | | X |
| SPREADWINGS,LESTIDAE | | | | | | | | | | | | | | | | | | | | | |
| Great Spreadwing, <i>Archilestes grandis</i> | | + | | | | + | X1 | | | + | + | X | | X | | AB | | X | AB | | AB |
| Spotted Spreadwing, <i>Lestes congener</i> | | | + | X1 | X1 | + | X1 | | | X1 | | + | | X | + | + | | | X | | X |
| Common Spreadwing, <i>Lestes disjunctus</i> | | | + | | + | + | | | | | | + | | X | | AB | + | + | X | | |
| Emerald Spreadwing, <i>Lestes dryas</i> | | | | | | | | | | | | | + | | X | | | | AB | | |
| Amber-winged Spreadwing, <i>Lestes eurinus</i> | | + | + | | + | | | | | | + | | X | | AB | | + | + | | | AB |
| Sweetflag Spreadwing, <i>Lestes forcipatus</i> | + | | + | | + | + | X1 | | | | | + | + | X1 | | | | + | X | | |
| Elegant Spreadwing, <i>Lestes inaequalis</i> | | + | + | + | + | + | | | | | | + | AB | X | + | BB | | + | X | | + |
| Slender Spreadwing, <i>Lestes rectangularis</i> | + | + | + | + | + | + | X1 | X1 | | AB | + | + | | X | + | + | | + | X | | + |
| Lyre-tipped Spreadwing, <i>Lestes unguiculatus</i> | + | | | + | + | | | | | | | + | | | | + | | | + | | |
| Swamp Spreadwing, <i>Lestes vigilax</i> | X | X | + | + | + | + | | + | | AB | + | X | | X | X | AB | + | + | X | | AB |
| POND DAMSELS,COENAGRIONIDAE | | | | | | | | | | | | | | | | | | | | | |
| Eastern Red Damselfly, <i>Amphiagrion saucium</i> | + | + | + | + | + | + | | + | | | | + | + | X | X | + | + | + | X | + | AB |
| Blue-fronted Dancer, <i>Argia apicalis</i> | + | X | + | + | | + | AB | X | AB | + | + | AB | + | X | | AB | | + | + | AB | X |
| Seepage Dancer, <i>Argia bipunctulata</i> | + | | + | + | + | + | | | | | | + | + | | X | + | ? | | | | |
| Violet Dancer, <i>Argia fumipennis violacea</i> | + | X | X | X | + | X | + | X | | + | + | X | + | X | X | + | + | + | X | AB | X |
| Powdered Dancer, <i>Argia moesta</i> | | + | | | | + | + | | | X | + | + | | X | | + | | X | X | AB | X |
| Blue-ringed Dancer, <i>Argia sedula</i> | | | AB | | | | | | | AB | X1 | | | | | | | X1 | | | |
| Blue-tipped Dancer, <i>Argia tibialis</i> | + | X | + | + | + | + | X1 | X | | | + | | | | + | + | | + | AB | | |
| Dusky Dancer, <i>Argia translata</i> | | X | | | | | | | | AB | + | | | + | | X | | + | X | | + |
| Aurora Damselfly, <i>Chromagrion conditum</i> | X | + | + | BB | + | + | | + | | AB | | + | + | X | X | X | | + | X | | AB |
| Azure Bluet, <i>Enallagma aspersum</i> | + | | + | + | + | + | | + | | + | + | + | + | AB | + | | | + | X | | AB |
| Double-striped Bluet, <i>Enallagma basidens</i> | | | + | | | BB | X1 | | | + | | + | | X | X1 | | X1 | + | AB | | AB |
| Boreal Bluet, <i>Enallagma boreale</i> | | | | | | | | | | | | | | + | | | | | + | | |
| Tule Bluet, <i>Enallagma carunculatum</i> | | + | | | | | | | | + | | | | X | | + | | | + | | AB |
| Familiar Bluet, <i>Enallagma civile</i> | + | X | + | + | + | + | AB | + | | + | + | + | AB | X | X | X | X1 | + | X | | AB |
| Northern Bluet, <i>Enallagma annexum</i> | | + | | | | | | | | | | | | + | | AB | | | + | | AB |
| Attenuated Bluet, <i>Enallagma daeckii</i> | X | | + | + | + | + | | + | | | | + | | | X | | | | | | |
| Turquoise Bluet, <i>Enallagma divagans</i> | + | + | + | X | + | + | | X | | | | + | + | X | + | AB | | + | X | | |
| Atlantic Bluet, <i>Enallagma doubledayi</i> | + | | X | | X | + | | | | | | | + | | + | | | | | | |
| Big Bluet, <i>Enallagma durum</i> | + | X | + | + | + | + | | + | AB | | | + | | | + | | + | | | | |



| | | | | | | | | | | | | | | | | | | | | | | |
|---|----|----|---|----|----|---|----|----|--|----|----|----|----|----|----|----|----|----|----|---|----|----|
| Marsh Bluet, <i>Enallagma ebrium</i> | | + | | | | | | | | | | | + | X | | + | | | + | | | |
| Stream Bluet, <i>Enallagma exulans</i> | + | X | + | + | | + | X1 | X | | X | + | + | | X | + | AB | | X | X | + | X | |
| Skimming Bluet, <i>Enallagma geminatum</i> | + | X | + | + | + | X | X1 | + | | + | + | X | + | X | X | X | X1 | + | X | | + | |
| Hagen's Bluet, <i>Enallagma hageni</i> | | + | | | | | | | | | | + | | X | | AB | | + | X | | | |
| New England Bluet, <i>Enallagma laterale</i> | | X | | | | | | | | | | | | X | | X | | | X | | | |
| Scarlet Bluet, <i>Enallagma pictum</i> | X | | X | + | + | + | | + | | | | + | | | X | | + | | | | | |
| Pine Barrens Bluet, <i>Enallagma recurvatum</i> | + | | + | + | + | + | | + | | | | + | | X | | | | | | | | |
| Orange Bluet, <i>Enallagma signatum</i> | + | X | + | + | + | + | X1 | + | | X | + | X | + | X | + | AB | ab | + | X | | | X |
| Slender Bluet, <i>Enallagma traviatum</i> | + | + | + | + | + | + | | + | | | + | + | BB | X | BB | BB | + | | X | | | |
| Vesper Bluet, <i>Enallagma vesperum</i> | + | | + | + | BB | + | | X | | | | + | | X | + | | + | + | X | | | |
| Blackwater Bluet, <i>Enallagma weewa</i> | + | | X | + | + | + | | | | | + | | | | X | | | | | | | |
| Citrine Forktail, <i>Ischnura hastata</i> | + | AB | + | + | + | + | X1 | + | | + | | + | + | X | X | | | + | X | | | AB |
| Lilypad Forktail, <i>Ischnura kellicotti</i> | + | | + | + | + | + | | + | | | | + | BB | + | X | BB | + | + | + | | | |
| Fragile Forktail, <i>Ischnura posita</i> | + | X | + | + | + | X | X1 | X | | AB | + | + | + | X | X | X | + | + | X | + | X | |
| Rambur's Forktail, <i>Ischnura ramburii</i> | + | | + | | + | + | | + | | | | + | + | | + | | + | | | | | |
| Eastern Forktail, <i>Ischnura verticalis</i> | + | X | X | X | + | + | X1 | X | | X | + | X | + | X | X | + | | + | X | + | X | |
| Sphagnum Sprite, <i>Nehalennia gracilis</i> | + | X | + | + | + | + | | + | | | | + | + | + | X | X | | | + | | | AB |
| Southern Sprite, <i>Nehalennia integricollis</i> | + | | + | | + | + | | + | | | | | | | + | | | | | | | |
| Sedge Sprite, <i>Nehalennia irene</i> | + | + | + | + | | | + | | | | | + | | X | + | AB | | + | X | | | AB |
| PETALTAILS,PETALURIDAE | | T | | | | | | | | | | | | T | | T | | | | | T | |
| Gray Petaltail, <i>Tachopteryx thoreyi</i> | | X | | | | | | | | | | | | AB | | + | | | | | AB | |
| DARNERS,AESHNIDAE | | | | | | | | | | | | | | | | | | | | | | |
| Canada Darner, <i>Aeshna canadensis</i> | | + | | | | | | | | | | | | X | | + | | + | X | | | AB |
| Mottled Darner, <i>Aeshna clepsydra</i> | X1 | X | X | | | + | | | | | | X | | X | X | + | | | X | | + | |
| Lance-tipped Darner, <i>Aeshna constricta</i> | | X | | | | | X1 | | | | | | | X | | | | + | AB | | | AB |
| Variable Darner, <i>Aeshna interrupta</i> | | | | | | | | | | | | | | | | | | | | | AB | |
| Spatdock Darner, <i>Aeshna mutata</i> | | | | | | | AB | | | | | | | X | | | | + | X | | | |
| Subarctic Darner, <i>Aeshna subarctica</i> | | | | | | | | | | | | | | | | | | | | | AB | |
| Black-tipped Darner, <i>Aeshna tuberculifera</i> | | + | | | | | | | | | | | | X | | AB | | + | X | | | X |
| Shadow Darner, <i>Aeshna umbrosa</i> | | X | + | + | + | + | X1 | | | AB | AB | + | X | + | X | | + | X1 | X | X | + | X |
| Green-striped Darner, <i>Aeshna verticalis</i> | | X | | | X1 | | X1 | | | | X1 | | | X | | AB | X1 | | X | | | X |
| Common Green Darner, <i>Anax junius</i> | + | X | X | + | X | + | + | X | | AB | + | + | + | + | X | X | X | BB | + | X | | X |
| Comet Darner, <i>Anax longipes</i> | + | | + | + | + | + | + | | | | | | + | X | X | | AB | + | AB | | | AB |
| Springtime Darner, <i>Basiaeschna janata</i> | + | X | + | X | + | + | | X | | AB | + | + | + | X | + | + | + | + | X | + | X | |
| Ocellated Darner, <i>Boyeria grafiana</i> | | X | | | | | | | | X1 | | | | | | AB | | | X | | | X |
| Fawn Darner, <i>Boyeria vinosa</i> | + | | X | BB | + | + | + | + | | X | + | | | X | X | X | + | X | X | | X | X |
| Swamp Darner, <i>Epiaeschna heros</i> | + | X | X | X1 | X | + | + | X | | AB | X | AB | + | | X | X | AB | + | + | X | + | AB |
| Taper-tailed Darner, <i>Gomphaeschna antilope</i> | X | | + | X | + | + | | AB | | | | + | | | + | | | | | | | |
| Harlequin Darner, <i>Gomphaeschna furcillata</i> | X | X | X | | + | + | | + | | | | + | | X | X | X | + | | X | | | X |



| | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|-----|----|---|---|----|----|----|----|----|---|---|----|----|----|----|---|---|----|----|----|
| Cyrano Darner, <i>Nasiaeschna pentacantha</i> | | X | | | + | + | | X1 | | | | | + | | X | | X | + | + | X | | AB |
| CLUBTAILS,GOMPHIDAE | | | | | | | | | | | | | | | | | | | | | | |
| Lilypad Clubtail, <i>Arigomphus furcifer</i> | | X | | | | | | | | | | | | | X | | + | | | X | | |
| Unicorn Clubtail, <i>Arigomphus villosipes</i> | | X | | | | + | X1 | | AB | AB | | + | + | X | AB | X | | + | X | AB | X | |
| Black-shouldered Spinyleg, <i>Dromogomphus spinosus</i> | | X | | | | | X1 | | | X | + | + | | X | | + | | | X | X | | X |
| Midland Clubtail, <i>Gomphus (Gomphurus) fraternus</i> | | | | | | | | | | | | | | | | | | | | | AB | |
| Sable Clubtail, <i>Gomphus (Gomphurus) rogersi</i> | | X | | | | | | | | | | | | X | | + | | | | X | | |
| Septima's Clubtail, <i>Gomphus (Gomphurus) septima</i> | | | | | | | | | | | | + | | | | | | | | X | | + |
| Cobra Clubtail, <i>Gomphus (Gomphurus) vastus</i> | | | | | | | | | | | + | + | | | | | | | | X | | + |
| Skillet Clubtail, <i>Gomphus (Gomphurus) ventricosus</i> | | | | | | | | | | | | | | | | | | | | | AB | |
| Beaverpond Clubtail, <i>Gomphus (Gomphurus) borealis</i> | | | | | | | | | | | | | | | | | | | | | X | |
| Harpoon Clubtail, <i>Gomphus (Gomphurus) descriptus</i> | | | | | | | | | | | | | | | | | | | | | X | |
| Lancet Clubtail, <i>Gomphus (Gomphurus) exilis</i> | + | X | X | X | + | X | X1 | X | | AB | + | + | + | X | X | X | + | + | X | | X | |
| Ashy Clubtail, <i>Gomphus (Gomphurus) lividus</i> | | X | | + | | | | | | + | + | | | X | BB | X | | + | X | | X | |
| Rapids Clubtail, <i>Gomphus (Gomphurus) quadricolor</i> | | | | | | | | | | X1 | | | | AB | | | | | + | X | | X |
| Dusky Clubtail, <i>Gomphus (Gomphurus) spicatus</i> | | | | | | | | | | | | | | X | | X | | | | | AB | |
| Spine-crowned Clubtail, <i>Gomphus (Hylogomphus) abbreviatus</i> | | | | | | | | | | | + | X | | AB | | | | | + | X | | X |
| Moustached Clubtail, <i>Gomphus (Hylogomphus) adelphus</i> | | | | | | | | | | | | | | | | | | | | | X | |
| Banner Clubtail, <i>Gomphus (Hylogomphus) apomyius</i> | + | | X | + | | + | X | | | | | | | | | + | | X | | | | |
| Green-faced Clubtail, <i>Gomphus (Hylogomphus) viridifrons</i> | | | | | | | | | | | | | | | | | | | | | X | |
| Dragonhunter, <i>Hagenius brevistylus</i> | + | | + | AB | + | + | X | | AB | | | | | X | X | + | + | | | X | | X |
| Southern Pygmy Clubtail, <i>Lanthus vernalis</i> | | X | | | | | | | | | | | | X | | + | | | | X | | X |
| Extra-striped Snaketail, <i>Ophiogomphus anomalus</i> | | | | | | | | | | | | | | | | | | | | | + | |
| Brook Snaketail, <i>Ophiogomphus aspersus</i> | | | | | | | | | | AB | | | | X | | | | | | | X | X |
| Riffle Snaketail, <i>Ophiogomphus carolus</i> | | | | | | | | | | | | | | | | | | | | | X | |
| Maine Snaketail, <i>Ophiogomphus mainensis</i> | | | | | | | | | | | | | | + | | + | | | | | X | |
| Rusty Snaketail, <i>Ophiogomphus rupinsulensis</i> | | + | | | | | | | | X | | | | + | | | | | X | X | | X |
| Common Sanddragon, <i>Progomphus obscurus</i> | + | | X | | + | + | X | | | | | | | | X | | BB | | | | | |
| Eastern Least Clubtail, <i>Stylogomphus albistylus</i> | | X | | + | | | | | | X | + | | | X | | X | | + | X | | X | |
| Russet-tipped Clubtail, <i>Stylurus plagiatus</i> | | | + | X1 | | + | X1 | | | | + | + | | + | | | | | | | | |
| Zebra Clubtail, <i>Stylurus scudderii</i> | | | | | | | | | | | | | | X | | | | | | | X | X |
| Arrow Clubtail, <i>Stylurus spiniceps</i> | | | | | | | | | | X | AB | | | X | | + | | | | X | | X |
| SPIKETAILS,CORDULEGASTRIDAE | | | | | | | | | | | | | | | | | | | | | | |
| Delta-spotted Spiketail, <i>Cordulegaster diastatops</i> | | X | ++? | | + | + | | | | | | | | X | + | + | | | | X | | X |
| Tiger Spiketail, <i>Cordulegaster erronea</i> | | X | | X1 | | | | | | AB | | | | X | | AB | | | | AB | | AB |
| Twin-spotted Spiketail, <i>Cordulegaster maculata</i> | + | X | + | AB | + | + | AB | | | + | | | | X | X | X | BB | + | X | | X | |
| Arrowhead Spiketail, <i>Cordulegaster obliqua</i> | | X | | | | | | | | | | | | X | | AB | | | | X | | |
| CRUISERS,MACROMIIDAE | | | | | | | | | | | | | | | | | | | | | | |
| Stream Cruiser, <i>Didymops transversa</i> | | X | + | + | | + | AB | | AB | + | + | + | X | + | X | BB | + | X | | X | | X |



| | | | | | | | | | | | | | | | | | | | | |
|---|----|---|----|----|---|---|----|----|----|----|----|---|----|----|----|----|----|----|----|----|
| Allegheny River Cruiser, <i>Macromia alleghaniensis</i> | + | | X | | + | + | | X | | | | | | | X | | | | | |
| "Georgia" Swift River Cruiser, <i>Macromia illinoiensis georgina</i> | + | | + | + | + | + | | X | | | + | + | | | X | | AB | | | |
| "Illinois" Swift River Cruiser, <i>Macromia illinoiensis illinoiensis</i> | | | | | | | | | | X | | | | X | | + | | X | X | X |
| EMERALDS,FAMILY CORDULIIDAE | | | | | | | | | | | | | | | | | | | | |
| American Emerald, <i>Cordulia shurtleffi</i> | | | | | | | | | | | | | | X | | AB | | | X | AB |
| Petite Emerald, <i>Dorocordulia lepida</i> | + | | + | + | + | + | | + | | | | | | X | X | X | | | X | |
| Racket-tailed Emerald, <i>Dorocordulia libera</i> | | X | | | | | | | | | | | | X | | X | | | X | AB |
| Prince Baskettail, <i>Epiheca (Epicordulia) princeps</i> | | X | AB | X | | + | X1 | AB | | AB | + | + | + | X | X1 | + | BB | X | X | AB |
| Beaverpond Baskettail, <i>Epiheca (Tetragoneuria) canis</i> | | | | | | | | | | | | | | AB | | AB | | | X | AB |
| Stripe-winged Baskettail, <i>Epiheca (Tetragoneuria) costalis</i> | + | ? | | + | + | X | | | | | | | | | | + | | X | | |
| Common Baskettail, <i>Epiheca (Tetragoneuria) cynosura</i> | | X | + | X1 | | | X1 | + | | + | + | + | + | X | + | X | | + | X | X |
| Spiny Baskettail, <i>Epiheca (Tetragoneuria) spinigera</i> | | | | | | | | | | | | | | AB | | + | | | AB | |
| Mantled Baskettail, <i>Epiheca (Tetragoneuria) semiaquea</i> | + | | X | + | + | + | | X | | | | | | | + | | X | | AB | |
| Robust Baskettail, <i>Epiheca (Tetragoneuria) spinosa</i> | | | + | | + | | | X | | | | | | | + | | AB | | + | |
| Uhler's Sundragon, <i>Helocordulia uhleri</i> | + | X | + | | + | + | | + | | | | | | | + | + | + | + | | X |
| Umber Shadowdragon, <i>Neurocordulia obsoleta</i> | | | | | | | | AB | | AB | | | | | AB | | | | | X |
| Stygian Shadowdragon, <i>Neurocordulia yamaskanensis</i> | | | | | | | | | | | | | | | X | | | | | X |
| Ski-tailed Emerald, <i>Somatochlora elongata</i> | | | | | | | | | | | | | | | AB | | | | | + |
| Fine-lined Emerald, <i>Somatochlora filosa</i> | + | | X | X1 | X | + | | + | | | | | | | | + | | AB | | |
| Forcipate Emerald, <i>Somatochlora forcipata</i> | | | | | | | | | | | | | | | | | | | | AB |
| Coppery Emerald, <i>Somatochlora georgiana</i> | AB | | + | | | | | | | | | | | | | | | | | |
| Kennedy's Emerald, <i>Somatochlora kennedyi</i> | | | | | | | | | | | | | | | | | | | | AB |
| Mocha Emerald, <i>Somatochlora linearis</i> | | | | | | + | | | | | | | AB | | + | + | X | + | + | AB |
| Treetop Emerald, <i>Somatochlora provocans</i> | + | | + | | + | + | | AB | | | | | | | X | | | | | |
| Clamp-tipped Emerald, <i>Somatochlora tenebrosa</i> | + | X | + | + | + | + | X1 | + | | | | | | + | + | X | + | AB | + | + |
| Brush-tipped Emerald, <i>Somatochlora walshii</i> | | X | | | | | | | | | | | | | + | | AB | | | X |
| Williamson's Emerald, <i>Somatochlora williamsoni</i> | | | | | | | | | | | | | | | X | | AB | | | AB |
| Ringed Boghaunter, <i>Williamsonia lintneri</i> | | X | | | | | | | | | | | | | | | + | | | |
| SKIMMERS,LIBELLULIDAE | | | | | | | | | | | | | | | | | | | | |
| Four-spotted Pennant, <i>Brachymesia gravida</i> | | | | | | + | + | | | | | | | | | | | | | |
| Calico Pennant, <i>Celithemis elisa</i> | + | X | + | + | + | + | + | + | AB | AB | AB | + | + | X | + | X | AB | + | X | X |
| Halloween Pennant, <i>Celithemis eponina</i> | + | X | + | + | + | + | + | + | | AB | + | + | AB | X | X1 | X | AB | + | X | X |
| Banded Pennant, <i>Celithemis fasciata</i> | X | + | + | + | + | + | + | | | | | | | AB | + | AB | BB | | X | |
| Martha's Pennant, <i>Celithemis martha</i> | + | | + | + | X | + | | X | | | | | | | | X | | | | |
| Faded Pennant, <i>Celithemis ornata</i> | | | + | + | | | | | | | | | | | | | | | | + |
| Double-ringed Pennant, <i>Celithemis verna</i> | + | | + | + | + | + | | | | | | | | | | | AB | | | |
| Eastern Pondhawk, <i>Erythemis simplicicollis</i> | + | X | + | + | + | + | + | + | AB | + | + | X | + | X | X | X | BB | + | X | + |
| Seaside Dragonlet, <i>Erythrodiplax berenice</i> | + | + | + | + | + | + | | | | | | | | | + | | BB | + | | |
| Little Blue Dragonlet, <i>Erythrodiplax minuscula</i> | | | | | | | | | | | | | | | | AB | | | | |



| | | | | | | | | | | | | | | | | | | | | | |
|--|---|----|---|----|----|----|----|----|---|----|----|---|----|----|----|----|----|---|----|----|----|
| Blue Corporal, <i>Ladona deplanata</i> | + | | + | + | + | + | | X | | | | + | + | | X | | AB | | AB | | |
| White Corporal, <i>Ladona exusta</i> | + | + | + | + | + | + | | + | | BB | | + | + | + | X | + | BB | | X | | |
| Chalk-fronted Corporal, <i>Ladona julia</i> | | X | + | | | | | | | | | + | | X | | X | | + | X | | X |
| Frosted Whiteface, <i>Leucorrhinia frigida</i> | | X | + | ? | | | | | | | | | | X | | AB | | | X | | AB |
| Crimson-ringed Whiteface, <i>Leucorrhinia glacialis</i> | | | | | | | | | | | | | | + | | AB | | | X | | |
| Hudsonian Whiteface, <i>Leucorrhinia hudsonica</i> | | | | | | | | | | | | | | | | AB | | | + | | AB |
| Dot-tailed Whiteface, <i>Leucorrhinia intacta</i> | | X | + | + | | | + | | | | | + | | X | | X | | + | X | + | X |
| Belted Whiteface, <i>Leucorrhinia proxima</i> | | + | | | | | | | | | | | | + | | BB | | | + | | |
| Golden-winged Skimmer, <i>Libellula auripennis</i> | | | X | | | + | | + | | | | | | | | | | | | | |
| Bar-winged Skimmer, <i>Libellula axilena</i> | + | | X | + | + | + | X1 | | | X1 | X1 | | | X1 | X | X1 | BB | | X1 | | X1 |
| Spangled Skimmer, <i>Libellula cyanea</i> | X | X | + | + | + | + | + | + | | AB | | X | + | X | X | X | AB | + | X | + | AB |
| Yellow-sided Skimmer, <i>Libellula flavida</i> | + | + | + | + | + | + | | | | | | | | X | | | | | | | |
| Slaty Skimmer, <i>Libellula incesta</i> | + | X | + | + | + | + | X1 | + | | AB | + | + | + | X | X | X | AB | + | X | | X |
| Widow Skimmer, <i>Libellula luctuosa</i> | | X | + | + | X1 | + | + | + | | AB | + | X | + | X | + | X | BB | + | X | AB | X |
| Needham's Skimmer, <i>Libellula needhami</i> | + | X1 | | | + | + | | | | | | | + | | + | | + | | X1 | | |
| Twelve-spotted Skimmer, <i>Libellula pulchella</i> | + | X | X | + | + | + | + | + | | X | + | + | AB | X | + | X | AB | + | X | | X |
| Four-spotted Skimmer, <i>Libellula quadrimaculata</i> | | + | | + | ? | | + | | | | | + | | X | | X | | + | X | | AB |
| Painted Skimmer, <i>Libellula semifasciata</i> | + | X | + | + | + | + | + | X1 | | AB | + | + | | X | X | X | + | + | X | | X |
| Great Blue Skimmer, <i>Libellula vibrans</i> | + | X | + | + | + | + | X1 | X1 | | X1 | AB | | | X | + | X1 | X1 | + | X | | X1 |
| Elfin Skimmer, <i>Nannothemis bella</i> | + | | X | + | + | + | | + | | | | | + | + | X | | | | + | | |
| Blue Dasher, <i>Pachydiplax longipennis</i> | + | X | + | + | + | + | X1 | X | | AB | + | X | + | X | X | + | + | + | X | | X |
| Wandering Glider, <i>Pantala flavescens</i> | + | X | + | + | X | + | X1 | + | | AB | AB | + | AB | X | BB | BB | AB | + | AB | | X |
| Spot-winged Glider, <i>Pantala hymenaea</i> | + | | + | + | X | + | X1 | BB | | | | + | BB | X | + | BB | BB | + | + | | |
| Eastern Amberwing, <i>Perithemis tenera</i> | + | X | + | + | + | BB | X1 | + | | AB | + | + | + | X | | AB | + | + | X | + | X |
| Common Whitetail, <i>Plathemis lydia</i> | + | X | + | + | + | + | + | X | | AB | + | + | + | X | X | X | + | + | X | + | X |
| Blue-faced Meadowhawk, <i>Sympetrum ambiguum</i> | + | | + | + | + | + | | AB | | | | | | | X1 | | X1 | | | | |
| Variiegated Meadowhawk, <i>Sympetrum corruptum</i> | | | | | + | + | | | | | | | | + | + | | | | | | |
| Saffron-winged Meadowhawk, <i>Sympetrum costiferum</i> | | | | | | | | | | + | | | | | | | | | | | |
| Black Meadowhawk, <i>Sympetrum danae</i> | | | | | | | | | | | | | | | | | | | | | AB |
| Cherry-faced Meadowhawk, <i>Sympetrum internum</i> | + | X | + | | + | + | + | + | + | + | + | + | + | X | + | X | BB | + | X | + | X |
| "Eastern" Cherry-faced Meadowhawk, <i>Sympetrum internum</i> | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X | X |
| White-faced Meadowhawk, <i>Sympetrum obtrusum</i> | | + | + | | BB | + | | + | | | | | + | | | | | + | + | | + |
| Ruby Meadowhawk, <i>Sympetrum rubicundulum</i> | | | | | + | + | | | | | | | + | | | | | | + | | |
| Band-winged Meadowhawk, <i>Sympetrum semicinctum</i> | | + | + | X1 | | + | X1 | | | + | + | + | + | X | | AB | | + | X | | X |
| Autumn Meadowhawk, <i>Sympetrum vicinum</i> | + | X | + | + | + | + | X1 | + | + | + | + | + | + | X | X | X | BB | + | X | | X |
| Striped Saddlebags, <i>Tramea calverti</i> | | | | | + | + | | | | | | | | | | | | | | | |
| Carolina Saddlebags, <i>Tramea carolina</i> | + | + | + | + | X | + | + | + | | + | | + | | X | X | + | BB | + | + | | |
| Black Saddlebags, <i>Tramea lacerata</i> | + | X | + | + | + | + | X1 | + | | + | AB | + | AB | X | X | X | AB | X | X | AB | X |